

The only maternal vaccine that helps protect babies from RSV from birth through 6 months.



**ABRYSVO™**  
Respiratory Syncytial Virus Vaccine

# Now Approved

The only maternal vaccine that **helps protect babies** from RSV from birth through 6 months

Immunization with ABRYSVO™ is given at 32 through 36 weeks of pregnancy.

RSV=respiratory syncytial virus.

## WHAT IS ABRYSVO?

ABRYSVO is a vaccine indicated for pregnant individuals at 32 through 36 weeks gestational age for the prevention of lower respiratory tract disease (LRTD) and severe LRTD caused by respiratory syncytial virus (RSV) in infants from birth through 6 months of age.

## IMPORTANT SAFETY INFORMATION

- ABRYSVO should not be given to anyone with a history of severe allergic reaction (e.g., anaphylaxis) to any of its components
- To avoid the potential risk of preterm birth, ABRYSVO should be given during 32 through 36 weeks gestational age

Please see Important Safety Information continued on pages 2-4.

Please click for full [Prescribing Information](#) for ABRYSVO.



# HELP PROTECT YOUR BABY AGAINST RSV FROM BIRTH THROUGH 6 MONTHS

**RSV is a highly contagious respiratory virus** that can make your baby sick. This is true especially if they're under 6 months old, when they're vulnerable to severe RSV. In fact, **75% to 80% of babies hospitalized due to RSV were hospitalized during the first 6 months of their lives.**



**ABRYSVO™ is a maternal vaccine** given at 32 through 36 weeks of pregnancy that helps protect your baby from the potentially severe consequences of RSV through 6 months.



**ABRYSVO works by helping your body** create RSV antibodies ( Y ) that are passed from you to your baby in the womb, in order to help protect your baby.



**ABRYSVO was studied in clinical trials including over 7,000 pregnant individuals and their babies, where 3,695 pregnant individuals received ABRYSVO and 3,697 received a placebo.**

**The most common side effects** for pregnant individuals who received the vaccine included pain at the injection site, headache, muscle pain, and nausea.

In clinical trials where ABRYSVO was compared to placebo, infants born to pregnant individuals experienced low birth weight (5.1% ABRYSVO versus 4.4% placebo) and jaundice (7.2% ABRYSVO versus 6.7% placebo).

## IMPORTANT SAFETY INFORMATION (continued)

- Fainting can happen after getting injectable vaccines, including ABRYSVO. Precautions should be taken to avoid falling and injury due to fainting
- Adults with weakened immune systems, including those receiving medicines that suppress the immune system, may have a reduced immune response to ABRYSVO
- Vaccination with ABRYSVO may not protect all people
- In pregnant individuals, the most common side effects ( $\geq 10\%$ ) were pain at the injection site, headache, muscle pain, and nausea

**Please see Important Safety Information on pages 1-4.**

# WHAT IS MATERNAL IMMUNIZATION?

Maternal immunization is a vaccination you receive during pregnancy that helps protect your baby.



## How common is maternal immunization?

Pregnant individuals have been using vaccines to help protect their babies for many years. This includes the Tdap and flu vaccines for pregnant individuals.



Ask your OB-GYN or other healthcare provider about ABRYSVO—the only maternal RSV vaccine that helps protect your baby from birth through 6 months.

## IMPORTANT SAFETY INFORMATION (continued)

Ask your healthcare provider about the risks and benefits of ABRYSVO. Only a healthcare provider can decide if ABRYSVO is right for you. Always talk to your healthcare provider about any side effects you may experience.

***You are encouraged to report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <http://www.vaers.hhs.gov> or call 1-800-822-7967.***

Individuals who received ABRYSVO during pregnancy are encouraged to enroll in a pregnancy exposure registry at 1-800-616-3791. The registry will monitor pregnancy outcomes.

**Please see Important Safety Information on pages 1-4.**

**Please click for full [Prescribing Information](#) for ABRYSVO.**



## ASK ABOUT ABRYSVO™

Pregnancy is a time when you'll likely have a lot of questions for your OB-GYN or other healthcare provider. Start the conversation about RSV and ABRYSVO to get the answers you need.

1. Is my baby at risk for RSV?
2. If my baby gets RSV, what could happen?
3. What can I do to help protect my baby from RSV?
4. Is ABRYSVO safe for me and my baby?
5. When should I get the vaccine?
6. How does getting vaccinated help me protect my baby?
7. What are the benefits and risks of getting vaccinated while pregnant?

You want to help protect your baby from many things,  
and RSV can be one of them.

Talk with your OB-GYN or other healthcare provider about helping to protect your baby against RSV with ABRYSVO.

Click to visit [ABRYSVO.com](https://www.abrysvo.com) to learn more.

### IMPORTANT SAFETY INFORMATION (continued)

- In clinical trials where ABRYSVO was compared to placebo, infants born to pregnant individuals experienced low birth weight (5.1% ABRYSVO versus 4.4% placebo) and jaundice (7.2% ABRYSVO versus 6.7% placebo)

Please see Important Safety Information on pages 1-4.

Please click for full [Prescribing Information](#) for ABRYSVO.